

## Anhang zu Tätigkeitsbericht Zucht 2023

### Zuchtwerte aller vollständig geprüften Königinnen mit dem Jahrgang 2022

Rassenzucht- organisation	Züchter	Zuchtbuch- nummer	Jahrgang Königin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Hygiene- verhalten	Varroabefalls- entwicklung	Durchschnitt
<b>50</b>	110	30312	2022	91	113	111	93	129	98	104
50	110	30332	2022	90	109	107	92	120	99	99
50	110	30241	2022	92	106	104	95	121	99	98
50	110	30236	2022	80	115	111	88	123	96	97
50	110	30311	2022	82	115	110	86	121	99	97
50	110	30240	2022	87	109	105	89	120	104	96
50	110	30202	2022	116	99	101	111	103	103	111
50	110	30201	2022	105	107	108	100	98	105	109
50	110	30099	2022	110	101	101	106	105	103	108
50	110	30200	2022	108	103	104	104	104	103	108
50	110	30206	2022	102	104	103	98	105	103	103
50	110	60316	2022	95	94	90	96	89	109	89
50	110	60322	2022	109	81	78	108	82	112	89
50	111	30187	2022	103	117	119	100	116	100	117
50	111	30005	2022	97	119	121	96	99	107	115
50	111	30135	2022	104	114	115	100	116	106	115
50	111	30907	2022	97	119	120	97	101	91	114
50	111	30909	2022	99	116	117	98	110	102	113
50	111	30270	2022	96	117	118	94	111	100	111
50	111	30137	2022	94	118	118	92	119	102	110
50	111	30902	2022	94	117	117	94	114	102	110
50	111	30134	2022	104	109	110	97	117	101	109
50	111	30904	2022	91	119	117	90	108	102	108
50	111	30276	2022	96	116	116	89	108	102	107
50	129	40019	2022	112	101	105	110	86	96	112
50	129	40023	2022	114	98	102	109	79	93	111
50	129	40020	2022	113	99	103	109	93	93	110
50	129	40028	2022	120	90	95	115	78	95	109
50	129	40015	2022	111	99	102	106	92	97	108
50	129	40026	2022	105	106	109	98	89	103	108
50	129	40024	2022	106	100	103	103	86	92	106
50	129	40009	2022	112	93	96	110	87	93	105

Rassenzucht- organisation	Züchter	Zuchtbuch- nummer	Jahrgang Königin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Hygiene- verhalten	Varroabefalls- entwicklung	Durchschnitt
50	129	40021	2022	101	105	107	99	79	98	105
50	120	10332	2022	106	89	92	103	102	99	96
50	120	10378	2022	105	89	92	100	98	96	94
50	120	10336	2022	96	94	96	96	99	96	92
50	120	10326	2022	105	85	87	101	95	94	91
50	120	10331	2022	107	83	85	98	104	99	88
50	133	10141	2022	117	89	96	122	106	94	111
50	133	10242	2022	118	87	94	121	102	109	109
50	133	10118	2022	115	90	95	115	99	101	106
50	133	10254	2022	109	91	97	116	100	104	106
50	133	10113	2022	112	89	94	114	98	96	103
50	133	10133	2022	112	89	94	114	98	96	103
50	133	10109	2022	113	87	92	113	95	81	102
50	133	10110	2022	114	83	88	115	100	92	100
50	138	15036	2022	108	99	99	105	105	102	105
50	138	15070	2022	108	97	98	106	115	103	104
50	138	15071	2022	117	91	91	110	115	100	104
50	138	15039	2022	106	98	98	104	115	111	103
50	138	15073	2022	109	94	95	105	109	105	101
50	138	15029	2022	109	93	92	102	103	102	98
50	144	40136	2022	110	105	108	108	96	94	113
50	144	40140	2022	111	100	103	109	98	95	110
50	144	40289	2022	110	99	102	109	92	91	109
50	144	40143	2022	100	106	108	101	94	98	107
50	144	40300	2022	110	94	96	108	99	105	104
50	144	40142	2022	102	100	102	101	94	101	102
50	144	40144	2022	96	104	104	92	95	98	98
50	144	40152	2022	98	102	102	92	93	100	98
50	144	40393	2022	99	101	100	96	92	107	99
50	144	40384	2022	106	92	92	100	94	104	95
50	144	40380	2022	94	102	101	90	95	95	94
50	144	40397	2022	97	98	96	95	95	107	94
50	144	40395	2022	101	92	92	99	95	105	93
50	144	40396	2022	88	106	102	85	95	94	92
50	144	40401	2022	97	99	97	90	103	101	92
50	144	40399	2022	93	99	96	89	95	102	90
50	144	40400	2022	92	96	93	88	92	96	87
50	144	40378	2022	85	101	97	79	95	101	84
50	85	40160	2022	108	96	98	93	94	109	98
50	85	40159	2022	102	99	100	92	96	111	97

Rassenzucht- organisation	Züchter	Zuchtbuch- nummer	Jahrgang Königin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Hygiene- verhalten	Varroabefalls- entwicklung	Durchschnitt
50	85	40161	2022	98	102	102	85	100	110	95
50	85	40301	2022	109	91	92	92	97	116	93
50	85	40304	2022	97	100	99	83	95	106	91
50	168	70926	2022	83	109	108	76	88	111	90
50	85	40164	2022	94	101	100	80	98	108	89
50	168	70924	2022	81	109	108	75	88	111	88
50	168	70929	2022	83	102	100	75	92	116	82
50	66	70105	2022	93	109	111	105	87	107	107
50	66	70110	2022	80	117	117	101	87	107	106
50	66	70087	2022	89	106	109	105	85	107	104
50	66	70106	2022	84	114	115	96	94	107	104
50	66	70089	2022	86	109	110	101	97	107	103
50	66	70094	2022	87	107	109	103	90	107	103
50	66	70101	2022	83	111	112	100	95	107	103
50	66	70081	2022	83	111	112	99	93	107	102
50	66	70082	2022	87	108	109	101	97	107	102
50	66	70085	2022	83	109	109	101	83	107	101
50	66	70093	2022	85	107	108	102	98	107	101
50	66	70097	2022	77	118	117	89	91	107	100
50	66	70090	2022	79	111	110	97	93	107	99
50	66	70091	2022	74	119	117	88	95	107	99
50	66	70098	2022	77	114	113	95	87	107	99
50	66	70088	2022	78	110	110	97	91	107	98
50	66	70102	2022	79	111	110	93	87	107	97
50	66	70084	2022	83	108	108	90	87	107	95
50	151	40039	2022	110	101	104	109	95	98	111
50	151	40043	2022	109	101	104	110	95	99	111
50	151	40040	2022	104	105	107	104	101	101	109
50	151	40042	2022	110	98	101	109	100	96	108
50	151	40053	2022	107	98	101	109	93	88	107
50	151	40050	2022	99	105	106	101	99	98	105
50	151	40030	2022	106	96	98	108	97	84	103
50	151	40051	2022	101	101	102	99	96	91	101
50	156	10188	2022	110	90	93	104	86	108	99
50	156	10176	2022	105	89	90	98	91	111	92
50	156	10190	2022	112	84	86	98	83	106	91
50	156	10177	2022	99	89	90	95	83	104	88
50	156	10183	2022	99	90	92	91	84	107	88
50	156	10186	2022	94	93	94	87	87	102	86
50	156	10191	2022	96	88	88	91	77	98	84

Rassenzucht- organisation	Züchter	Zuchtbuch- nummer	Jahrgang Königin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Hygiene- verhalten	Varroabefalls- entwicklung	Durchschnitt
50	156	10060	2022	123	80	86	118	95	88	103
50	156	10072	2022	119	81	88	120	104	89	103
50	156	10062	2022	116	84	90	115	93	98	102
50	156	10074	2022	107	86	89	104	102	99	93
50	168	30105	2022	119	100	103	111	111	97	114
50	168	30101	2022	120	93	96	112	117	97	109
50	168	30103	2022	123	89	92	115	122	99	108
50	168	30102	2022	104	105	105	100	113	96	106
50	168	30106	2022	106	99	99	97	119	96	101
50	169	42431	2022	100	88	89	100	108	101	90
50	169	42415	2022	93	93	93	93	102	99	88
50	169	42437	2022	91	95	94	91	96	98	88
50	169	42432	2022	84	99	98	87	99	95	86
50	169	42231	2022	89	94	93	90	101	102	85
50	169	42424	2022	86	95	95	88	100	98	84
50	66	70481	2022	88	123	124	97	88	107	114
50	66	70472	2022	92	115	118	102	86	107	112
50	66	70500	2022	89	117	120	100	83	107	111
50	66	70479	2022	91	115	117	101	88	107	110
50	66	70482	2022	86	118	120	98	75	107	110
50	66	70488	2022	85	118	120	98	83	107	109
50	66	70484	2022	89	116	118	95	84	107	108
50	66	70491	2022	89	118	120	90	85	107	108
50	66	70480	2022	81	119	120	95	81	107	107
50	66	70483	2022	75	125	125	91	81	107	107
50	66	70477	2022	86	115	117	98	73	107	106
50	66	70471	2022	91	112	113	91	83	107	103
50	66	70475	2022	82	120	119	86	83	107	103
50	66	70499	2022	78	120	120	87	82	107	102
50	53	15048	2022	108	92	94	101	114	108	97
50	53	15058	2022	107	91	92	99	118	104	95
50	53	15047	2022	111	86	87	103	102	105	94
50	53	15059	2022	107	88	90	101	107	95	94
50	53	15060	2022	99	96	96	93	113	107	93
50	53	15046	2022	92	98	98	89	108	111	90
50	66	70168	2022	99	114	115	99	86	107	112
50	66	70179	2022	98	114	114	98	87	107	110
50	66	70157	2022	101	109	110	101	86	107	109
50	66	70160	2022	99	108	110	103	82	107	109
50	66	70164	2022	89	116	116	93	89	107	106

Rassenzucht- organisation	Züchter	Zuchtbuch- nummer	Jahrgang Königin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Hygiene- verhalten	Varroabefalls- entwicklung	Durchschnitt
50	66	70166	2022	103	105	107	98	86	107	106
50	66	70152	2022	94	108	109	98	85	107	104
50	66	70158	2022	92	111	111	97	86	107	104
50	66	70161	2022	80	124	122	82	86	107	103
50	66	70188	2022	91	114	113	88	87	107	103
50	66	70151	2022	80	124	121	78	89	107	102
50	66	70187	2022	86	116	115	86	95	107	101
50	66	70175	2022	85	116	115	85	84	107	100
50	66	70153	2022	95	106	105	90	79	107	98
50	66	70162	2022	96	106	105	89	91	107	98
50	66	70247	2022	88	113	114	101	85	107	107
50	66	70248	2022	82	117	116	92	87	107	103
50	66	70213	2022	89	123	123	89	97	107	111
50	66	70221	2022	93	117	118	97	87	107	111
50	66	70208	2022	92	114	114	97	97	107	108
50	66	70204	2022	92	115	115	93	100	107	107
50	66	70214	2022	84	120	120	93	96	107	107
50	66	70215	2022	90	116	116	95	89	107	107
50	66	70206	2022	92	112	112	99	102	107	106
50	66	70218	2022	99	106	107	101	99	107	105
50	66	70225	2022	81	125	123	82	94	107	105
50	66	70207	2022	83	117	116	92	97	107	104
50	66	70209	2022	80	124	122	80	101	107	103
50	66	70219	2022	79	115	112	79	106	107	93
50	66	70303	2022	97	109	110	96	104	101	106
50	66	70305	2022	95	112	113	95	107	101	106
50	66	70307	2022	93	113	114	94	103	101	106
50	66	70301	2022	99	107	108	98	106	101	105
50	66	70314	2022	100	106	108	97	103	101	105
50	66	70304	2022	97	112	112	88	105	101	104
50	66	70306	2022	92	116	116	84	104	101	104
50	66	70331	2022	102	106	107	94	97	101	104
50	66	70309	2022	101	107	109	90	94	101	103
50	66	70310	2022	105	99	100	102	103	101	102
50	66	70318	2022	91	111	111	92	105	101	102
50	66	70302	2022	87	112	112	91	106	101	101
50	66	70312	2022	91	112	112	89	102	101	101
50	66	70326	2022	91	110	109	92	100	101	101
50	75	70275	2022	93	108	109	92	95	101	101
50	153	70280	2022	87	109	107	87	95	101	96

Rassenzucht- organisation	Züchter	Zuchtbuch- nummer	Jahrgang Königin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Hygiene- verhalten	Varroabefalls- entwicklung	Durchschnitt
50	153	70278	2022	88	106	105	89	89	101	95
50	66	70287	2022	82	108	105	82	93	101	90
50	66	70367	2022	85	104	105	91	102	101	94
50	66	70347	2022	87	105	104	88	99	101	93
50	66	70344	2022	93	100	101	88	98	101	92
50	66	70363	2022	98	96	97	92	95	101	92
50	66	70339	2022	84	105	103	86	103	101	91
50	66	70341	2022	89	104	104	84	103	101	91
50	66	70336	2022	87	101	101	90	106	101	90
50	66	70338	2022	80	108	106	84	93	101	90
50	66	70342	2022	81	106	105	87	100	101	90
50	66	70345	2022	84	103	103	87	101	101	90
50	66	70351	2022	90	103	103	81	107	101	90
50	66	70334	2022	84	104	104	82	102	101	89
50	66	70343	2022	83	107	106	78	103	101	89
50	66	70368	2022	89	99	99	87	98	101	89
50	66	70337	2022	84	105	104	78	100	101	88
50	66	70340	2022	92	95	94	93	92	101	88
50	86	50334	2022	117	103	107	112	104	99	117
50	86	50332	2022	118	100	104	113	105	85	116
50	86	50328	2022	122	94	98	115	106	84	113
50	86	50333	2022	110	106	108	104	106	86	112
50	86	50337	2022	111	102	104	109	105	87	112
50	86	50331	2022	110	102	105	105	106	89	110
50	86	50336	2022	110	102	104	106	107	95	110
50	86	50323	2022	105	101	102	103	100	87	105
50	91	60027	2022	94	97	90	101	112	113	92
50	91	60034	2022	92	98	92	99	102	106	92
50	91	60036	2022	92	97	91	102	97	117	92
50	91	60028	2022	90	95	88	99	103	113	88
50	91	60022	2022	101	82	77	110	102	103	87
50	91	60032	2022	83	101	92	94	98	126	87
50	91	60035	2022	94	90	83	100	101	116	86
50	91	60031	2022	81	98	90	95	108	112	84
50	91	60033	2022	89	93	86	96	98	116	84
50	91	60040	2022	80	100	90	86	104	111	80

Rassenzucht- organisation	Züchter	Zuchtbuch- nummer	Jahrgang Königin	Honig	Saftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
51	119	1788	2022	99	81	81	98	95	91
51	119	1240	2022	95	82	82	100	94	90
51	119	2471	2022	97	82	81	97	94	89
51	119	4057	2022	96	78	76	102	93	88
51	119	1014	2022	92	75	75	95	97	87
51	119	5897	2022	97	65	66	95	97	85
51	119	5074	2022	97	70	71	95	93	85
51	119	5000	2022	92	72	71	92	98	85
51	119	1617	2022	96	67	68	96	95	84
51	119	2283	2022	96	69	69	97	91	83
51	126	3800	2022	100	108	110	98	86	97
51	126	3929	2022	95	98	98	94	90	93
51	126	1261	2022	95	103	103	92	85	92
51	126	6988	2022	98	97	98	94	86	91
51	126	7064	2022	94	93	94	90	89	90
51	126	2339	2022	99	92	93	92	87	90
51	126	7104	2022	104	93	97	93	80	88
51	126	6030	2022	97	91	90	93	84	87
51	126	5549	2022	99	94	94	93	80	87
51	126	8990	2022	100	93	95	89	79	86
51	90	7945	2022	92	95	95	76	92	88
51	90	8364	2022	88	93	93	71	95	87
51	90	7484	2022	91	98	96	76	88	87
51	90	4299	2022	90	93	93	71	93	87
51	90	1477	2022	90	98	98	65	92	87
51	90	1326	2022	85	95	89	75	93	87
51	90	7248	2022	92	95	95	70	88	86
51	90	2003	2022	89	96	96	74	88	86
51	90	2025	2022	87	88	88	72	93	85
51	90	7824	2022	78	98	95	56	86	79
51	90	4604	2022	79	88	89	59	90	79
51	152	74	2022	92	92	91	86	97	91
51	152	71	2022	86	91	89	93	97	91
51	152	76	2022	95	92	90	93	90	90
51	152	75	2022	87	90	88	92	90	88
51	152	927	2022	97	109	107	107	94	102
51	152	964	2022	98	106	102	106	96	101
51	152	925	2022	95	109	107	107	94	101
51	152	907	2022	96	107	106	106	92	100

Rassenzucht- organisation	Züchter	Zuchtbuch- nummer	Jahrgang Königin	Honig	Saftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
51	152	5652	2022	85	106	101	97	96	97
51	152	55	2022	86	103	100	97	97	97
51	152	2637	2022	82	103	99	98	96	96
51	152	2329	2022	84	104	101	97	95	96
51	152	4907	2022	87	106	102	98	91	95
51	152	1812	2022	91	103	101	93	92	95
51	152	61	2022	84	101	98	97	95	94
51	152	57	2022	84	99	95	96	96	94
51	152	8604	2022	86	97	94	97	94	93
51	152	3825	2022	82	99	93	96	97	93
51	152	2825	2022	81	99	94	93	95	92
51	152	85	2022	80	103	99	94	88	90
51	152	84	2022	90	91	90	92	90	88
51	152	81	2022	82	99	95	86	90	88
51	152	4965	2022	78	97	89	79	95	87
51	152	5703	2022	82	86	83	93	89	85
51	25	7949	2022	95	93	93	100	97	96
51	25	6446	2022	91	99	100	97	95	96
51	25	4403	2022	89	94	93	100	97	95
51	25	8210	2022	83	91	89	97	100	93
51	25	6616	2022	87	93	93	99	95	93
51	25	6163	2022	87	92	91	101	94	92
51	25	7262	2022	87	67	67	99	106	89
51	25	6697	2022	84	78	74	92	95	85
51	26	3194	2022	92	94	93	102	85	89
51	26	4004	2022	86	87	82	97	91	87
51	26	6772	2022	88	85	82	96	89	86
51	26	3331	2022	94	85	81	94	86	85
51	26	6194	2022	90	86	83	96	85	84
51	26	3459	2022	84	86	83	94	86	84
51	26	2867	2022	90	80	80	95	85	83
51	26	1844	2022	87	83	80	92	84	82
51	26	2902	2022	93	77	75	93	85	81
51	26	4849	2022	81	79	74	93	79	76
51	31	6104	2022	94	92	91	97	91	91
51	31	5234	2022	92	90	88	98	92	91
51	31	4775	2022	94	89	86	91	91	89
51	31	3056	2022	94	87	83	97	92	89
51	31	4054	2022	89	88	83	95	92	88



Rassenzucht- organisation	Züchter	Zuchtbuch- nummer	Jahrgang Königin	Honig	Saftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
51	31	7428	2022	93	89	85	102	84	87
51	31	2910	2022	90	84	79	95	93	87
51	31	4122	2022	89	81	78	97	93	86
51	31	4609	2022	96	77	78	92	91	85
51	31	2888	2022	88	84	82	90	90	85
51	48	7752	2022	94	98	97	86	95	94
51	48	8156	2022	93	91	93	83	94	90
51	48	3913	2022	83	98	100	72	93	88
51	48	6188	2022	91	84	88	87	92	87
51	48	2976	2022	88	94	94	80	90	87
51	48	1002	2022	90	90	93	83	89	87
51	48	3160	2022	85	93	95	85	86	86
51	48	3520	2022	83	90	92	78	91	85
51	48	2490	2022	81	86	87	71	90	81
51	36	8250	2022	103	106	109	100	87	98
51	36	6927	2022	98	103	103	98	94	98
51	36	6506	2022	98	107	108	95	92	98
51	36	4308	2022	97	106	104	98	92	98
51	36	2691	2022	102	102	102	99	93	98
51	36	5576	2022	97	102	103	97	93	97
51	36	3427	2022	92	103	104	92	95	97
51	36	9892	2022	91	98	98	97	96	96
51	36	5605	2022	94	99	100	99	93	96
51	36	5864	2022	95	101	100	96	88	93
51	36	4399	2022	95	100	101	96	88	93
51	78	5546	2022	92	103	103	99	88	94
51	78	6620	2022	93	103	103	96	85	92
51	78	7533	2022	93	96	96	84	93	91
51	78	1822	2022	86	95	94	96	92	91
51	78	8240	2022	90	96	95	96	88	90
51	78	3161	2022	90	97	95	96	86	90
51	78	1582	2022	91	93	92	95	89	90
51	78	7323	2022	87	92	91	98	89	89
51	78	3333	2022	90	92	93	97	86	88
51	93	3343	2022	85	86	86	99	97	91
51	93	1523	2022	85	87	85	94	96	90
51	93	3791	2022	84	84	84	100	95	89
51	93	5941	2022	86	82	83	101	93	88
51	93	8037	2022	88	71	73	97	98	87

Rassenzucht- organisation	Züchter	Zuchtbuch- nummer	Jahrgang Königin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
51	93	5705	2022	87	74	72	94	97	85
51	93	5036	2022	90	93	96	101	100	97
51	93	7117	2022	84	86	87	94	97	90
51	93	4338	2022	84	83	82	96	99	90
51	93	4239	2022	85	84	86	93	98	90
51	93	6010	2022	88	80	81	93	99	89
51	93	4456	2022	88	82	84	94	97	89
51	93	2665	2022	84	87	86	93	96	89
51	93	2119	2022	87	84	84	95	95	89
51	93	1186	2022	86	83	84	94	97	89
51	93	8423	2022	85	81	82	92	97	88
51	93	8301	2022	88	79	81	88	97	87
51	93	5908	2022	81	78	78	96	99	87

Rassenzucht- organisation	Züchter	Zuchtbuch- nummer	Jahrgang Königin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
<b>52</b>	26	24	2022	97	100	100	108	91	98
52	26	141	2022	99	98	98	104	90	95
52	26	19	2022	94	95	95	108	93	95
52	26	22	2022	95	98	98	108	87	94
52	380	15	2022	100	91	93	85	91	90
52	380	14	2022	89	95	97	85	91	90
52	380	13	2022	95	95	97	86	88	89
52	380	12	2022	92	92	94	84	91	89
52	380	16	2022	95	91	93	84	89	88
52	380	11	2022	95	89	91	83	89	87
52	101	13	2022	105	96	97	98	97	98
52	101	9	2022	107	95	98	94	95	97
52	101	7	2022	106	96	97	94	93	96
52	101	11	2022	106	96	97	98	88	94
52	101	8	2022	106	89	90	92	94	93
52	101	10	2022	103	94	95	96	86	92
52	13	110	2022	81	79	81	91	88	82
52	13	123	2022	82	80	80	90	86	81
52	13	119	2022	84	79	81	91	86	81

Rassenzucht- organisation	Züchter	Zuchtbuch- nummer	Jahrgang Königin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
52	13	116	2022	78	81	81	91	87	81
52	13	115	2022	77	80	79	91	88	81
52	13	127	2022	83	78	77	90	86	80
52	13	121	2022	81	79	82	89	86	80
52	13	113	2022	80	76	81	90	87	80
52	13	111	2022	81	78	78	89	87	80
52	13	128	2022	81	75	78	88	87	79
52	13	125	2022	74	80	78	92	86	79
52	13	117	2022	84	79	79	91	83	79
52	13	124	2022	81	80	80	89	83	78
52	13	112	2022	80	82	80	90	80	78
52	13	109	2022	82	76	77	90	81	77
52	13	120	2022	77	80	80	89	79	76
52	301	43	2022	87	85	86	84	87	83
52	301	38	2022	86	83	84	83	82	80
52	301	89	2022	86	82	83	83	80	78
52	13	141	2022	78	79	81	91	80	77
52	301	42	2022	84	78	77	81	82	76
52	21	3	2022	94	100	98	91	89	92
52	21	2	2022	89	92	90	85	90	88
52	21	5	2022	92	90	88	84	89	87
52	21	4	2022	87	89	87	83	90	85
52	21	26	2022	104	108	106	96	91	99
52	21	23	2022	98	105	105	91	90	96
52	21	28	2022	102	98	97	89	91	94
52	21	27	2022	101	101	99	91	90	94
52	21	25	2022	99	100	97	90	88	92
52	21	88	2022	92	102	99	92	88	92
52	21	99	2022	92	99	96	90	90	91
52	218	3	2022	82	93	89	89	90	87
52	218	6	2022	79	94	87	85	78	79
52	218	1	2022	79	90	85	71	84	79
52	218	2	2022	80	84	79	87	83	78
52	380	20	2022	101	103	107	89	99	100
52	154	41	2022	96	107	103	90	97	99
52	380	23	2022	96	101	104	87	100	99
52	154	37	2022	89	109	104	90	96	98
52	154	49	2022	96	103	100	90	96	96
52	154	48	2022	95	104	101	88	95	96

Rassenzucht- organisation	Züchter	Zuchtbuch- nummer	Jahrgang Königin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
52	154	47	2022	96	103	99	90	93	95
52	154	44	2022	90	99	96	72	95	90
52	154	10	2022	103	109	108	88	90	97
52	154	13	2022	98	108	106	87	92	96
52	154	8	2022	101	104	103	87	93	96
52	154	76	2022	96	105	103	86	89	94
52	154	3	2022	97	97	95	85	93	93
52	154	72	2022	101	86	89	84	94	90
52	154	7	2022	98	98	99	86	82	88
52	154	14	2022	97	96	97	78	81	85
52	24	65	2022	113	110	113	104	101	109
52	24	60	2022	110	111	113	104	100	108
52	24	53	2022	111	112	117	104	97	108
52	140	33	2022	109	113	116	104	96	107
52	24	61	2022	107	107	109	101	100	106
52	140	39	2022	109	110	113	103	98	106
52	140	38	2022	107	108	109	102	93	102
52	24	35	2022	112	102	102	107	92	101
52	24	23	2022	114	103	103	111	88	101
52	24	26	2022	108	96	97	102	94	98
52	24	29	2022	107	103	103	108	83	96
52	24	25	2022	107	100	101	109	85	96
52	100	43	2022	103	98	100	99	94	98
52	100	35	2022	99	100	101	99	89	95
52	100	18	2022	100	99	100	97	90	95
52	100	5	2022	103	95	99	100	89	95
52	100	27	2022	101	99	100	95	89	94
52	191	33	2022	107	108	107	104	105	108
52	191	42	2022	110	104	104	102	99	104
52	191	36	2022	101	104	104	104	98	102
52	191	35	2022	115	104	104	105	91	102
52	26	89	2022	108	103	104	103	93	101
52	26	82	2022	107	108	110	97	93	101
52	26	2	2022	107	105	107	96	91	99
52	26	146	2022	108	105	106	101	86	98
52	26	90	2022	108	107	108	104	85	98
52	26	87	2022	109	104	105	96	90	98
52	26	145	2022	104	106	106	100	82	95
52	26	144	2022	99	104	105	99	78	91

Rassenzucht- organisation	Züchter	Zuchtbuch- nummer	Jahrgang Königin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
52	191	25	2022	101	100	101	105	95	99
52	191	24	2022	104	90	91	96	88	91
52	134	54	2022	107	99	103	101	88	97
52	134	46	2022	106	97	98	100	88	95
52	134	57	2022	99	100	100	99	84	92
52	134	56	2022	100	94	94	97	89	92
52	134	48	2022	98	92	88	98	88	90
52	134	59	2022	97	82	87	93	81	84
52	301	11	2022	103	97	100	91	96	97
52	380	6	2022	104	104	107	93	102	103
52	380	3	2022	102	104	107	93	101	103
52	380	5	2022	100	104	107	92	100	101
52	380	1	2022	97	103	105	91	99	100
52	380	2	2022	95	102	105	91	99	99
52	380	4	2022	95	98	101	89	97	96
52	707	195	2022	116	119	123	114	107	118
52	707	37	2022	91	108	113	91	97	100
52	707	36	2022	112	127	130	114	102	118
52	707	28	2022	111	127	131	113	102	118
52	707	25	2022	98	114	120	107	99	108
52	707	8	2022	104	109	112	111	94	105
52	707	3	2022	102	108	111	104	97	104
52	707	26	2022	98	109	111	104	96	103
52	707	4	2022	101	111	115	104	92	103
52	707	15	2022	101	109	111	104	93	102
52	707	21	2022	94	105	109	106	95	101
52	707	9	2022	99	104	109	106	94	101
52	707	29	2022	89	105	108	100	99	100
52	707	27	2022	98	107	112	104	87	98
52	707	7	2022	86	99	99	81	90	89
52	790	43	2022	99	107	109	110	108	110
52	790	50	2022	103	110	112	110	102	109
52	790	56	2022	101	112	112	111	96	106
52	790	48	2022	106	107	109	110	96	105
52	790	23	2022	101	103	103	108	102	105
52	886	1	2022	114	110	113	105	103	110
52	7	19	2022	105	111	104	102	92	101
52	7	13	2022	103	110	102	101	95	101
52	7	20	2022	106	95	88	99	94	96

Rassenzucht- organisation	Züchter	Zuchtbuch- nummer	Jahrgang Königin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
52	7	22	2022	111	101	95	97	87	95
52	7	3	2022	97	86	74	91	102	92
52	7	9	2022	109	91	89	97	85	91
52	40	139	2022	97	99	95	87	88	90
52	40	135	2022	95	94	91	83	93	90
52	40	140	2022	92	95	92	86	90	89
52	7	2	2022	107	95	86	96	83	89
52	40	141	2022	95	90	88	86	91	88
52	40	134	2022	92	94	90	79	85	85
52	40	59	2022	110	104	102	110	94	103
52	40	61	2022	112	100	95	109	96	102
52	40	54	2022	107	106	101	108	94	102
52	40	52	2022	108	105	100	105	93	101
52	40	62	2022	106	103	100	105	93	100
52	40	53	2022	109	97	93	106	94	99
52	40	148	2022	107	109	104	98	88	98
52	40	33	2022	103	106	101	90	91	96
52	40	147	2022	109	107	103	98	83	95
52	40	63	2022	102	96	92	89	95	94
52	40	35	2022	108	107	101	97	81	94
52	40	69	2022	104	83	79	100	96	93
52	40	152	2022	98	102	96	96	85	92
52	40	153	2022	105	100	96	96	82	91
52	40	38	2022	105	99	93	96	79	89
52	40	36	2022	103	102	96	90	78	88
52	40	37	2022	101	96	91	95	79	87
19	186	64	2022	104	106	104	117	114	114
52	116	72	2022	115	99	105	114	100	107
52	7	231	2022	114	103	102	103	97	104
52	116	70	2022	116	91	98	107	102	104
52	7	151	2022	111	103	102	103	95	102
52	116	68	2022	116	93	102	109	93	101
52	116	67	2022	111	89	95	101	102	101
52	7	232	2022	111	98	97	102	95	100
52	7	101	2022	108	102	102	103	92	100
52	116	69	2022	113	84	91	104	101	100
52	7	248	2022	106	97	96	99	92	97
52	7	177	2022	106	97	96	95	92	96
52	7	240	2022	103	97	96	95	91	95

Rassenzucht- organisation	Züchter	Zuchtbuch- nummer	Jahrgang Königin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
52	116	65	2022	109	78	85	101	94	93
52	116	63	2022	108	69	81	98	98	91
52	707	74	2022	114	115	116	117	109	117
52	707	56	2022	113	96	92	108	103	104
52	32	369	2022	102	116	114	104	111	113
52	32	325	2022	98	112	109	100	112	111
52	32	330	2022	93	112	109	100	110	109
52	32	307	2022	98	116	112	101	107	109
52	32	320	2022	102	104	105	95	110	107
52	32	315	2022	94	106	105	97	110	106
52	32	390	2022	94	104	101	96	111	105
52	32	327	2022	96	103	101	87	109	103
1*	45	172	2022	105	111	107	122	121	120

### Rassenzuchtorganisationen

50 mellifera.ch

51 SAR

52 SCIV

1\* Landesverband Badischer Imker e.V. (Prüfung durch SCIV)